United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/595,878	11/20/2006	Andrew Phillip Churchill	CRUI/0034	8432
26290 PATTERSON	7590 01/16/2008 & SHERIDAN, L.L.P.		EXAM	INER
3040 POST OA	AK BOULEVARD		TSAY, FRANK	
SUITE 1500 HOUSTON, T	X 77056		ART UNIT	PAPER NUMBER
,			3676	
			MAIL DATE	DELIVERY MODE
			01/16/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

		Application No.	Applicant(s)		
Office Action Summary		10/595,878	CHURCHILL, ANDREW PHILLIP		
		Examiner	Art Unit		
		Frank S. Tsay	3676		
The Period for Rep	MAILING DATE of this communication app	ears on the cover sheet with the	correspondence address		
A SHORTE WHICHEVE - Extensions of after SIX (6) I - If NO period i - Failure to rep Any reply rec	ENED STATUTORY PERIOD FOR REPLY ER IS LONGER, FROM THE MAILING DA If time may be available under the provisions of 37 CFR 1.13 MONTHS from the mailing date of this communication. For reply is specified above, the maximum statutory period we law within the set or extended period for reply will, by statute, eived by the Office later than three months after the mailing t term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be to the total apply and will expire SIX (6) MONTHS from the application to become ABANDON	DN. timely filed m the mailing date of this communication. IED (35 U.S.C. § 133).		
Status	•				
1)⊠ Resp	onsive to communication(s) filed on 17 M	ay 2006.			
·	This action is FINAL . 2b) \boxtimes This action is non-final.				
3) Since	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is				
close	d in accordance with the practice under E	x parte Quayle, 1935 C.D. 11, 4	453 O.G. 213.		
Disposition of	Claims				
4a) O 5)⊠ Claim 6)⊠ Claim 7)□ Claim	n(s) <u>1-38</u> is/are pending in the application. If the above claim(s) is/are withdraven(s) <u>1-35 and 38</u> is/are allowed. n(s) <u>36 and 37</u> is/are rejected. n(s) is/are objected to. n(s) are subject to restriction and/or	vn from consideration.			
Application Pa	npers				
10)⊠ The d Applic Repla	pecification is objected to by the Examine rawing(s) filed on <u>17 May 2006</u> is/are: a) cant may not request that any objection to the coment drawing sheet(s) including the correct ath or declaration is objected to by the Ex	☑ accepted or b)☐ objected to drawing(s) be held in abeyance. So ion is required if the drawing(s) is o	ee 37 CFR 1.85(a). bjected to. See 37 CFR 1.121(d).		
Priority under	35 U.S.C. § 119				
a)	by b	s have been received. s have been received in Applica rity documents have been receiv u (PCT Rule 17.2(a)).	ntion No ved in this National Stage		
	ferences Cited (PTO-892) aftsperson's Patent Drawing Review (PTO-948)	4) ☐ Interview Summar Paper No(s)/Mail I			
3) X Information I	aftsperson's Patent Drawing Review (PTO-948) Disclosure Statement(s) (PTO/SB/08) /Mail Date <u>5/17/06</u> .	5) Notice of Informal 6) Other:			

Application/Control Number: 10/595,878

Art Unit: 3676

DETAILED ACTION

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 36 and 37 are rejected under 35 U.S.C. 102(b) as being anticipated by US 3,757,816 to Price.

Price discloses a downhole tool and method of using the same, shown in Fig. 1, which comprises a valve arrangement 10 for restricting fluid flow through the central bore. The valve arrangement further includes flow ports 12 for fluid communication between the central bore and the surrounding annulus. The step of actuating the valve arrangement and varying the configuration of the restriction is anticipated by the col. 4, lines 28-47, and changes in the valve plug position due to the venturi effect due to well fluid flow through the ports 12.

- The flow restriction is anticipated by the annular tapered seat 14 and a corresponding axial movement of the tapered plug or plunger which create flow restriction therethrough.
- The actuating force and the flow rated configuration is anticipated by col. 4, lines 28+, where the venturi effect created an actuating force to close the valve arrangement shown in Fig. 2.

Allowable Subject Matter

Claims 1-35, and 38 are allowed.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Frank S. Tsay whose telephone number is (571) 272-7038. The examiner can normally be reached on Monday thru Friday, 7:30am-5:00 pm. 2nd Friday off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jennifer H. Gay can be reached on (571)272-7029. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Frank S Tsay

Primary Examiner

Art Unit 3676